



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



ALLEGHENY VALLEY SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
ACMETONIA PRIMARY SCHOOL	12/03/02	No Violations Found
COLFAX UPPER ELEMENTARY SCHOOL	12/13/02	No Violations Found
SPRINGDALE JUNIOR/ SENIOR HIGH	12/13/02	No Violations Found

AVONWORTH SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
AVONWORTH ELEMENTARY SCHOOL	01/29/02	No Violations Found
AVONWORTH JUNIOR/ SENIOR HIGH	03/05/03	No Violations Found

BALDWIN - WHITEHALL SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
BALDWIN HIGH SCHOOL	12/04/02	037 Unsafe Hot/ Cold Holding
J. E. HARRISON MIDDLE SCHOOL	12/10/02	043 Inadequate Sanitization
MC ANNULTY ELEMENTARY SCHOOL	11/26/02	No Violations Found
W. ROBERT PAYNTER	10/17/02	TWO BOWL SINK OVERFLOWS ONTO FLOOR- REPAIR.
	10/17/02	LARGE METAL SHELF ON FLOOR IN HALLWAY, TRIPPING HAZARD-REMOVE OR
	10/17/02	NO PAPER TOWEL DISPENSER OR SOAP DISPENSER IN DISHWASHING
WHITEHALL ELEMENTARY SCHOOL	11/26/02	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



BETHEL PARK SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
ABRAHAM LINCOLN ELEMENTARY SCHOOL	11/21/02	312.7: CHLORINE SANITIZING SOLUTION IN WIPING BUCKET WAS TOO HIGH A
	11/21/02	302.1: PANS FOR HOLDING JELLO PREP CONTAINERS ARE DIRTY.
	11/21/02	304.6 NO MEANS ON SITE TO CALIBRATE PROBE THERMOMETERS.
BENJAMIN FRANKLIN ELEMENTARY SCHOOL	10/28/02	043 Inadequate Sanitization
	10/28/02	312.7: NO TEST STRIPS FOR QUAT AMMONIUM SANTIZER IN SINK.
BETHEL MEMORIAL ELEMENTARY SCHOOL	11/08/02	303.3 NO THERMOMETER FOR FAR RIGHT SIDE REFRIGERATOR IN KITCHEN &
	11/08/02	330.1 B: CURRENT HEALTH PERMIT NOT POSTED.
BETHEL PARK SENIOR HIGH SCHOOL	04/16/02	039 Probe-Type Thermometers Not Provided/ Used
	04/16/02	312.7 NO TEST STRIPS AVAILABLE TO MONITOR SANITIZER FOR UTENSIL
	04/16/02	NO THERMOMETER IN REFRIGERATOR USED TO STORE FOOD.
	04/16/02	330.1 B:
	12/03/02	043 Inadequate Sanitization
GEORGE WASHINGTON ELEMENTARY SCHOOL	11/08/02	No Violations Found
INDEPENDENCE MIDDLE SCHOOL	11/15/02	037 Unsafe Hot/ Cold Holding
NEIL ARMSTRONG 5-6 MIDDLE SCHOOL	10/22/02	031 Unapproved Food source, Unsound Condition
	10/22/02	037 Unsafe Hot/ Cold Holding
	10/22/02	039 Probe-Type Thermometers Not Provided/ Used
	10/22/02	312.3G: CHLORINE SANITIZER TOO HIGH CONCENTRATION IN BUCKET ON LEFT
	10/22/02	330.1B: HEALTH DEPT. PERMIT NOT POSTED IN PUBLIC VIEW.
WILLIAM PENN ELEMENTARY SCHOOL	10/28/02	321.1 CEILING IN DRY FOOD STORAGE ROOM HAS HOLE WITH EVIDENCE OF OLD



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



BRENTWOOD BOROUGH SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
BRENTWOOD MIDDLE/ HIGH SCHOOL	12/04/02	No Violations Found
ELROY ELEMENTARY SCHOOL	12/16/02	No Violations Found
MOORE ELEMENTARY SCHOOL	12/16/02	No Violations Found

CARLYNTON SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
CARLYNTON JUNIOR/ SENIOR HIGH	03/14/03	037 Unsafe Hot/ Cold Holding
CARNEGIE ELEMENTARY SCHOOL	02/25/03	No Violations Found
CRAFTON ELEMENTARY SCHOOL	03/07/03	No Violations Found

CHARTIERS VALLEY SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
CHARTIERS VALLEY INTERMEDIATE	12/18/02	303.3 NO THERMOMETER INSIDE WALK IN REFRIGERATOR .
CHARTIERS VALLEY PRIMARY SCHOOL	11/22/02	303.1: PLACE COPY OF CURRENT HEALTH PERMIT IN PLAIN PUBLIC VIEW.
	11/22/02	304.6: PROBE THERMOMETERS MUST BE CHECKED AND CALIBRATED DAILY USING
CHARTIERS VALLEY SENIOR SCHOOL	11/22/02	No Violations Found
	11/22/02	303.3: 1 THERMOMETER NEEDED IN MILK REFRIGERATOR CHEST TYPE - LEFT



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



CLAIRTON CITY SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
CLAIRTON ELEMENTARY SCHOOL	11/18/02	031 Unapproved Food source, Unsound Condition
CLAIRTON MIDDLE AND HIGH SCHOOL	11/18/02	NO CURRENT PERMIT POSTED. PLEASE CALL ACHD FEE & PERMIT OFFICE AT

CORNELL SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
CORNELL SENIOR HIGH SCHOOL	11/06/02	FIND AND POST A COPY OF THE UP-TO-DATE ALLEGHENY COUNTY HEALTH
	11/06/02	OBSERVE PROPER PROCEDURE FOR THAWING FOODS. FODDS CAN THAW;

DEER LAKES SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
CURTISVILLE PRIMARY CENTER	03/15/02	No Violations Found
DEER LAKES MIDDLE SCHOOL	10/21/02	No Violations Found
DEER LAKES SENIOR HIGH SCHOOL	10/21/02	No Violations Found
EAST UNION INTERMEDIATE CENTER	02/07/02	No Violations Found

EAST ALLEGHENY SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
EAST ALLEGHENY JUNIOR/ SENIOR HIGH	12/20/02	031 Unapproved Food source, Unsound Condition
	12/20/02	035 Unsafe Cooling
	12/20/02	039 Probe-Type Thermometers Not Provided/ Used
	12/20/02	043 Inadequate Sanitization



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



12/20/02	046 Plumbing: Backflow Not Prevented
12/20/02	050 Toxic Items Improperly Labeled, Stored, or Used
12/20/02	Section 336 - One of the two Allegheny County Certified food managers
12/20/02	Section 312 - The following:
12/20/02	Sections 320 & 321 - The following areas' floors and walls were found

GREEN VALLEY ELEMENTARY SCHOOL	03/21/00	No Violations Found
--------------------------------	----------	---------------------

WESTINGHOUSE ELEMENTARY SCHOOL	11/19/02	No Violations Found
--------------------------------	----------	---------------------

ELIZABETH FORWARD SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
CENTRAL ELEMENTARY SCHOOL	12/18/02	NO CURRENT PERMIT POSTED. PRESENT ONE HAS EXPIRED IN '99. POST
ELIZABETH ELEMENTARY SCHOOL	12/09/02	No Violations Found
ELIZABETH FORWARD HIGH SCHOOL	12/20/02	PEELING PAINT AND WATER DAMAGE TO WALLS OF DISHWASHER ROOM.
ELIZABETH FOWARD MIDDLE SCHOOL	12/19/02	DAMAGED PLASTER WALLS IN WALK-IN COOLER. REPAIR AS TO ELIMINATE THE
GREENOCK ELEMENTARY SCHOOL	12/10/02	NO CURRENT PERMIT POSTED. POST PERMIT OR OBTAIN DUPLICATE THROUGH
MT. VERNON ELEMENTARY SCHOOL	12/18/02	NO CURRENT ACHD PERMIT POSTED. PRESENT ONE HAS EXPIRED IN '99. POST
WILLIAM PENN ELEMENTARY SCHOOL	12/20/02	049 Presence of Insects, Rodents, Other Animals

FOX CHAPEL AREA SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
DORSEYVILLE MIDDLE SCHOOL	11/04/02	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



FAIRVIEW ELEMENTARY SCHOOL	02/11/03	Section 303- Food was stored on the floor in the walk in cooler.
FOX CHAPEL AREA HIGH SCHOOL	10/28/02	No Violations Found
HARTWOOD ELEMENTARY SCHOOL	02/11/03	043 Inadequate Sanitization
KERR ELEMENTARY SCHOOL	05/29/02	No Violations Found
O' HARA ELEMENTARY SCHOOL	10/07/02	SECTION 315- RIGHT SIDE OF CAFETERIA'S SINK (3RD LEFT)- DRAIN STOPPER
SHARPSBURG ELEMENTARY SCHOOL	01/18/02	No Violations Found

GATEWAY SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
EVERGREEN ELEMENTARY SCHOOL	10/09/02	No Violations Found
GATEWAY MIDDLE SCHOOL	11/27/02	No Violations Found
GATEWAY SENIOR HIGH SCHOOL	11/27/02	No Violations Found
MOSS SIDE ELEMENTARY SCHOOL	10/18/01	No Violations Found
MOSS SIDE MIDDLE SCHOOL	12/03/02	SEC 326 - FREEZER DOOR ON SERVING LINE HAS A LOOSE DOOR HANDLE, AND
PITCAIRN ELEMENTARY SCHOOL	11/21/02	SEC 304 - NO COOLING CHART AVAILABLE FOR THE TURKEY. PER MS.
RAMSEY ELEMENTARY SCHOOL	10/15/02	No Violations Found
UNIVERSITY PARK ELEMENTARY SCHOOL	11/25/02	No Violations Found

HAMPTON TOWNSHIP SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
---------------	--------------------	--------------------



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



CENTRAL ELEMENTARY SCHOOL	03/07/03	No Violations Found
HAMPTON HIGH SCHOOL	11/21/02	No Violations Found
HAMPTON MIDDLE SCHOOL	11/21/02	No Violations Found
POFF ELEMENTARY SCHOOL	03/07/03	No Violations Found
WYLAND ELEMENTARY SCHOOL	02/21/03	No Violations Found

HIGHLANDS SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
FAIRMOUNT ELEMENTARY SCHOOL	12/16/02	No Violations Found
FAWN ELEMENTARY SCHOOL	04/02/02	No Violations Found
GRANDVIEW ELEMENTARY (HIGHLANDS)	01/18/01	No Violations Found
	02/12/02	Section 330. No current ACHD permit displayed near the cafeteria. [I
HEIGHTS ELEMENTARY SCHOOL	02/07/02	Section 330. Current ACHD food permit not posted near the cafeteria.
	02/07/02	Section 325.5. First aid kit and hand lotions on same shelf as food
HIGHLANDS HIGH SCHOOL	12/13/02	No Violations Found
HIGHLANDS MIDDLE SCHOOL	12/13/02	No Violations Found

KEYSTONE OAKS SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
DORMONT ELEMENTARY SCHOOL	10/22/02	No Violations Found
KEYSTONE OAKS HIGH SCHOOL	11/20/02	MISSING AND/OR DAMAGED CEILING TILES IN FOOD PREPARATION



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



KEYSTONE OAKS MIDDLE SCHOOL 11/20/02 No Violations Found

MYRTLE ELEMENTARY SCHOOL 12/12/02 No Violations Found

MC KEESPORT AREA SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
CENTENNIAL ELEMENTARY SCHOOL	01/22/03	No Violations Found
GEORGE WASHINGTON ELEMENTARY SCHOOL	02/27/02	051 Certified Manager Not Present
MC CLURE MIDDLE SCHOOL	02/04/03	037 Unsafe Hot/ Cold Holding
	02/04/03	043 Inadequate Sanitization
MC KEESPORT AREA HIGH SCHOOL	01/09/03	049 Presence of Insects, Rodents, Other Animals
	01/09/03	LIFTING FLOOR TILES UNDER SOME APPLIANCES, SUCH AS STEAM OVEN IN THE
MC KEESPORT AREA TECH (VO 10-12)	05/24/02	No Violations Found
	05/24/02	049 Presence of Insects, Rodents, Other Animals
WHITE OAK ELEMENTARY SCHOOL	11/13/02	No Violations Found

MONTOUR SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
DAVID E. WILLIAMS JUNIOR HIGH	12/04/02	No Violations Found
FOREST GROVE ELEMENTARY SCHOOL	04/03/02	THE VICTORY COOLER AT THE SERVICE LINE, HAS A MALFUNCTIONING
INGRAM ELEMENTARY SCHOOL	09/26/02	312.7 NO TEST STRIPS FOR CHLORINE SANITIZER.
	09/26/02	303.3 NO THERMOMETER IN MILK CHEST TYPE REFRIGERATOR.
	09/26/02	312.7 - CHLORINE SANITIZER IN WIPING BUCKET WAS TOO HIGH A



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



J. W. BURKETT	05/10/02	LEAKING CONDENSATION LINE IN THE WALK-IN COOLER, CAUSING A STANDING
	05/10/02	KEEP A BUCKET OF DILUTE BLEACH SOLUTION WITH RAGS IN IT TO SANITIZE
	05/10/02	KEEP AND MAINTAIN COOLING CHARTS.
MONTOUR HIGH SCHOOL	10/22/02	040 Foods Not Protected From Cross-Contamination
	10/25/02	No Violations Found

MOON AREA SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
BON MEADE ELEMENTARY SCHOOL	11/04/02	CHANGE THE WATER IN THE STEAM TABLE AS NEEDED.
J. A. ALLARD	11/04/02	MISSING VENT ABOVE THE FOOD PREP AREA, PROVIDE A SCREENED VENT AT THE
J. H. BROOKS	02/12/03	No Violations Found
MOON AREA MIDDLE SCHOOL	11/27/02	No Violations Found
MOON AREA SENIOR HIGH SCHOL	11/25/02	THE MC CALL TWO-DOOR COOLER DOES NOT HAVE A THERMOMETER IN
RICHARD J. HYDE ELEMENTARY SCHOOL	11/25/02	No Violations Found

MT. LEBANON SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
FOSTER ELEMENTARY SCHOOL	12/12/02	No Violations Found
HOOVER ELEMENTARY SCHOOL	12/19/02	No Violations Found
HOWE ELEMENTARY SCHOOL	12/12/02	No Violations Found
JEFFERSON MIDDLE SCHOOL	12/13/02	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



LINCOLN ELEMENTARY SCHOOL	12/19/02	No Violations Found
MARKHAM ELEMENTARY SCHOOL	12/19/02	No Violations Found
MELLON MIDDLE SCHOOL	12/13/02	No Violations Found
MT. LEBANON SENIOR HIGH SCHOOL	11/25/02	Broken bakers' oven. (Parts are on order)
WASHINGTON ELEMENTARY SCHOOL	12/13/02	No Violations Found

NORTH ALLEGHENY SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
BRADFORD WOODS ELEMENTARY SCHOOL	12/03/02	No Violations Found
CARSON MIDDLE SCHOOL	11/19/02	No Violations Found
FRANKLIN ELEMENTARY SCHOOL	02/26/03	No Violations Found
HOSACK ELEMENTARY SCHOOL	02/04/03	No Violations Found
INGOMAR ELEMENTARY SCHOOL	02/07/03	No Violations Found
INGOMAR MIDDLE SCHOOL	02/26/03	No Violations Found
MARSHALL ELEMENTARY SCHOOL	11/06/02	No Violations Found
MARSHALL MIDDLE SCHOOL	11/06/02	037 Unsafe Hot/ Cold Holding
MC KNIGHT ELEMENTARY SCHOOL	02/07/03	No Violations Found
NORTH ALLEGHENY INTERMEDIATE HIGH	10/31/02	No Violations Found
NORTH ALLEGHENY SENIOR HIGH SCHOOL	10/17/02	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



PEEBLES ELEMENTARY SCHOOL	03/12/03	051 Certified Manager Not Present
	03/12/03	Section 312- No test strips for chlorine sanitizing solution.

NORTH HILLS SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
HIGHCLIFF ELEMENTARY SCHOOL	02/03/03	No Violations Found
MC INTYRE ELEMENTARY SCHOOL	03/12/03	No Violations Found
NORTH HILLS JUNIOR HIGH SCHOOL	03/04/03	No Violations Found
NORTH HILLS SENIOR HIGH SCHOOL	03/04/03	No Violations Found
NORTHWAY ELEMENTARY SCHOOL	02/13/03	No Violations Found
PERRYSVILLE ELEMENTARY SCHOOL	02/13/03	No Violations Found
ROSS	02/20/03	No Violations Found
SEVILLE ELEMENTARY SCHOOL	02/03/03	No Violations Found
WEST VIEW ELEMENTARY SCHOOL	03/18/03	No Violations Found

NORTHGATE SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
AVALON ELEMENTARY SCHOOL	02/19/03	No Violations Found
BELLEVUE ELEMENTARY SCHOOL	02/25/02	No Violations Found
NORTHGATE JUNIOR/ SENIOR HIGH	02/11/03	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



PENN HILLS SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
CLIFF DIBLE ELEMENTARY SCHOOL	10/08/02	No Violations Found
FORBES ELEMENTARY SCHOOL	11/12/02	No Violations Found
JOHN H. LINTON MIDDLE SCHOOL	11/15/02	NEW VIOLATION:
PENN HEBRON ELEMENTARY SCHOOL	09/30/02	No Violations Found
	02/27/02	No Violations Found
PENN HILLS SENIOR HIGH SCHOOL	11/19/02	No Violations Found
SHENANDOAH ELEMENTARY SCHOOL	10/01/02	No Violations Found
WASHINGTON ELEMENTARY SCHOOL	10/15/02	No Violations Found
WILLIAM PENN ELEMENTARY SCHOOL	10/21/02	No Violations Found

PENNSYLVANIA DEPT. OF EDUCATION

Facility Name	Date Of Inspection	Inspection Results
MONROEVILLE ACADEMY	04/15/02	No Violations Found
PRESCHOOL DEVELOPMENT PROGRAMS	05/09/02	320.1A: CRACKED FLOOR TILES IN KITCHEN AREA. NOT EASILY CLEANABLE.
	05/09/02	330.1 INCORRECT HEALTH PERMIT POSTED. YOUR CLIENT NUMBER IS
SHADYSIDE ACADEMY	11/15/02	No Violations Found
	10/22/02	No Violations Found
	11/06/02	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



PINE - RICHLAND SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
HANCE ELEMENTARY SCHOOL	10/23/02	No Violations Found
PINE- RICHLAND HIGH SCHOOL	12/04/02	No Violations Found
PINE- RICHLAND MIDDLE SCHOOL	12/04/02	No Violations Found
RICHLAND ELEMENTARY SCHOOL	10/23/02	No Violations Found
WEXFORD ELEMENTARY SCHOOL	12/03/02	No Violations Found

PITTSBURGH BOARD OF EDUCATION

Facility Name	Date Of Inspection	Inspection Results
A. LEO WEIL TECHNOLOGY	03/21/02	No Violations Found
	03/21/02	ALL CLEANING PRODUCTS MUST BE STORED SEPARATELY FROM ANY FOOD
	02/05/03	No Violations Found
	01/09/03	051 Certified Manager Not Present
ALLEGHENY MIDDLE SCHOOL	03/04/03	No Violations Found
ALLERDICE HIGH SCHOOL	10/24/02	THE CEILING OF THE WALK-IN COOLER IS NOT SEALED/WATER TIGHT AND WATER
ARLINGTON ELEMENTARY SCHOOL	04/24/02	No Violations Found
ARLINGTON MIDDLE SCHOOL	05/01/02	No Violations Found
ARSENAL MIDDLE SCHOOL	05/07/02	No Violations Found
	02/07/03	No Violations Found
BANKSVILLE ELEMENTARY SCHOOL	01/23/03	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



BEECHWOOD ELEMENTARY SCHOOL	12/11/02	No Violations Found
BELMAR ELEMENTARY SCHOOL	11/09/00	No Violations Found
	04/04/02	No Violations Found
	03/26/02	No Violations Found
BELTZHOVER ELEMENTARY SCHOOL	12/16/02	No Violations Found
BON AIR ELEMENTARY SCHOOL	05/01/02	No Violations Found
BRASHEAR HIGH SCHOOL	11/14/02	No Violations Found
BROOKLINE ELEMENTARY SCHOOL	05/01/02	No Violations Found
	11/13/02	No Violations Found
BURGWIN ELEMENTARY SCHOOL	03/14/03	No Violations Found
C A P A HIGH SCHOOL	01/14/03	No Violations Found
CARMALT ELEMENTARY SCHOOL	12/13/02	No Violations Found
CARRICK HIGH SCHOOL	12/18/02	No Violations Found
CHARTIERS ELEMENTARY SCHOOL	01/16/03	No Violations Found
CHATHAM ELEMENTARY SCHOOL	01/22/03	No Violations Found
CLAYTON ELEMENTARY SCHOOL	01/21/03	051 Certified Manager Not Present
COLFAX ELEMENTARY SCHOOL	04/18/02	No Violations Found
COLUMBUS MIDDLE SCHOOL	11/14/02	No Violations Found
CONCORD ELEMENTARY SCHOOL	12/19/02	051 Certified Manager Not Present



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



CONNELLEY TECHNICAL INSTITUTE	10/15/02	051 Certified Manager Not Present
CONROY EDUCATION CENTER	11/13/02	No Violations Found
CRESCENT ELEMENTARY SCHOOL	03/26/02	No Violations Found
DILWORTH ELEMENTARY SCHOOL	03/26/02	No Violations Found
	03/26/02	No Violations Found
EAST HILLS ELEMENTARY SCHOOL	02/12/02	No Violations Found
	02/12/02	051 Certified Manager Not Present
FORT PITT ELEMENTARY SCHOOL	05/22/02	051 Certified Manager Not Present
	05/22/02	SECTION 325.3 CLOROX STORED ON TOP OF REFRIGERATOR. STORE CHEMICALS
	05/22/02	SECTION 321 HOLE IN WALL NEAR SINK AT RESTROOM OFF OF HEAD START
	05/22/02	037 Unsafe Hot/ Cold Holding
	05/22/02	051 Certified Manager Not Present
	05/22/02	SECTION 313 VERY LOW WATER PRESSURE AT HOT WATER FAUCETS AT BOTH
	05/22/02	SECTION 309 REPAIR TOP OF HAND WASH SINK. LAMINATE IS LOOSE AND IS
	05/22/02	SECTION 315 FAUCET LEAKING AT SINK IN LUNCH ROOM. REPAIR.
	05/22/02	SECTION 321 CHIPPING /PEELING PAINT ON WALLS IN THE LUNCH ROOM.
FRICK MIDDLE SCHOOL	03/12/03	No Violations Found
FRIENDSHIP ELEMENTARY SCHOOL	02/13/03	No Violations Found
FULTON ELEMENTARY SCHOOL	03/26/02	No Violations Found
	01/23/02	No Violations Found
GLADSTONE MIDDLE SCHOOL	05/31/01	SECTION 322 PROVIDE COVER FOR LIGHT IN THE FREEZER.



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



	05/31/01	SECTION 303 STORE CHLORINE BOTTLES IN BOX SEPARATE FROM THE BOX OF
GRANDVIEW ELEMENTARY (PITTSBURGH)	12/19/02	No Violations Found
GREENFIELD ELEMENTARY SCHOOL	03/26/02	SECTION 321 PAINT FLAKING ON WALL IN MAIN KITCHEN AREA.
	03/26/02	SECTION 322 PROVIDE COVER FOR LIGHT IN MAIN COOLER.
GREENWAY CLASSICAL ACADEMY	03/10/03	No Violations Found
GREENWAY MIDDLE SCHOOL	03/10/03	No Violations Found
HOMEWOOD MONTESSORI SCHOOL	02/25/02	No Violations Found
	02/25/02	No Violations Found
KNOXVILLE MIDDLE/ ELEMENTARY SCHOOL	10/30/02	No Violations Found
LANGLEY HIGH SCHOOL	01/15/03	No Violations Found
LEMINGTON ELEMENTARY SCHOOL	02/14/02	No Violations Found
	02/14/02	No Violations Found
LETSCHE EDUCATION CENTER	10/25/02	THE TWO-DOOR, MANITOWOC, REFRIGERATOR IS NOT WORKING--REPAIR OR
LIBERTY ELEMENTARY SCHOOL	04/15/02	No Violations Found
LINCOLN ELEMENTARY SCHOOL	02/14/02	No Violations Found
LINDEN ELEMENTARY SCHOOL	02/14/02	SECTION 304- SERVING CHOCOLATE MILK DATED 11 FEBRUARY 02
MADISON ELEMENTARY SCHOOL	01/15/03	No Violations Found
MANCHESTER ELEMENTARY SCHOOL	02/25/03	051 Certified Manager Not Present
MANN ELEMENTARY SCHOOL	03/19/03	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



MARTIN LUTHER KING ELEMENTARY	01/28/02	No Violations Found
MC CLEARY ELEMENTARY SCHOOL	05/09/02	SECTION 321 FLAKING PAINT IN CAFETERIA ROOM ON WALLS AND ON DOOR
	05/09/02	SECTION 321 CLEAN CEILING TILE ABOVE OVEN IN FOOD PREPARATION ROOM.
MC KELVEY ELEMENTARY PGH GIFTED	01/22/02	No Violations Found
	01/07/03	051 Certified Manager Not Present
MC NAUGHER EDUCATION CENTER	01/21/03	051 Certified Manager Not Present
MIFFLIN ELEMENTARY SCHOOL	11/07/02	No Violations Found
MILLER AFRICAN CENTERED ACADEMY	02/03/03	No Violations Found
	02/03/03	No Violations Found
MILLIONES MIDDLE SCHOOL	10/30/02	THE DOUBLE DECK "ROYALTON" HOT-HOLDING UNIT HAS A BROKEN DOOR
	10/30/02	CLEAN THE HOOD VENT AS IT HAS A BUILD-UP ON IT.
MINADEO ELEMENTARY SCHOOL	02/05/02	No Violations Found
MORNINGSIDE ELEMENTARY SCHOOL	04/25/02	SECTION 312 OBTAIN STRIPS TO CHECK THE LEVEL OF CHEMICAL SANITIZER.
MORROW ELEMENTARY	02/06/02	No Violations Found
MURRAY ELEMENTARY SCHOOL	12/12/02	039 Probe-Type Thermometers Not Provided/ Used
NORTHVIEW HEIGHTS ELEMENTARY SCHOOL	02/25/03	051 Certified Manager Not Present
OLIVER HIGH SCHOOL	03/06/02	No Violations Found
OVERBROOK ELEMENTARY SCHOOL	01/28/03	No Violations Found
PEABODY HIGH SCHOOL	10/30/02	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



PERRY HIGH SCHOOL	03/14/03	No Violations Found
PHILLIPS ELEMENTARY SCHOOL	12/12/02	051 Certified Manager Not Present
PIONEER/ SOUTHBROOK SCHOOL	03/10/03	No Violations Found
PROSPECT MIDDLE/ ELEMENTARY SCHOOL	10/30/02	No Violations Found
QUENTIN ROOSEVELT ELEMENTARY	10/25/02	No Violations Found
REGENT SQUARE ELEMENTARY SCHOOL	04/16/02	No Violations Found
REIZENSTEIN MIDDLE SCHOOL	11/07/02	SECTION 320 BROKEN FLOOR TILE IN SERVING AREA. DETERIORATING FLOOR
	11/07/02	SECTION 315 CONDENSATION DRAIN IN DRY STORAGE ROOM NOT DRAINING
ROGERS MIDDLE SCHOOL	10/31/02	No Violations Found
ROONEY MIDDLE SCHOOL	02/28/03	No Violations Found
SCHAEFFER ELEMENTARY SCHOOL	02/20/03	No Violations Found
SCHENLEY HIGH SCHOOL	03/04/03	043 Inadequate Sanitization
	03/04/03	SECTION 315 FAUCET DRIPPING AT HAND WASH SINK IN THE MAIN KITCHEN.
	03/04/03	SECTION 321 SOME OF THE BASEBOARD CHIPPED IN MAIN CAFETERIA AND
	03/04/03	SECTION 322 NO COVERS ON CEILING LIGHTS IN OFFICE AND REST ROOM OFF
	03/04/03	SECTION 305 PLASTIC UTENSILS STORED IN BINS. PRESENT PLASTIC
SCHILLER MIDDLE SCHOOL	03/12/03	No Violations Found
SHERADEN ELEMENTARY SCHOOL	02/05/03	No Violations Found
SOUTH HILLS MIDDLE SCHOOL	11/14/02	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



SOUTH VO - TECH	11/20/02	# 14 - sec - 312 - Sanitizer too high (400ppm) in three bowl setup -
	11/20/02	# 17 - sec. - 315 - No water supplied to prep sink near dry storage
	12/06/00	CLEAN AND SANITIZE ALL EQUIPMENT.
SPRING GARDEN ELEMENTARY SCHOOL	02/06/03	• SECTION 336: FOOD MANAGER, CHRISTINE ZAGWOSKI, IS NOT YET
SPRING HILL ELEMENTARY SCHOOL	02/10/03	No Violations Found
STERRETT MIDDLE SCHOOL	04/16/02	No Violations Found
STEVENS ELEMENTARY SCHOOL	02/04/03	039 Probe-Type Thermometers Not Provided/ Used
	02/04/03	051 Certified Manager Not Present
	02/04/03	336: TEACHER AND VOLUNTEER PREPARING AND SERVING FOOD HAD INADEQUATE
	02/04/03	312.7 NO TEST STRIPS AVAILABLE FOR CHLORINE SANITIZER SOLUTION.
	02/04/03	312.7 CHLORINE SANITIZER SOLUTION TOO CONCENTRATED AT 200 PPM.
	02/04/03	303.3 UPRIGHT REFRIGERATOR NEEDS AN INTERNAL THERMOMETER.
	02/04/03	312.7: QUAT AMMONIUM SANITIZER TOO CONCENTRATED. MONITOR AND
SUNNYSIDE ELEMENTARY SCHOOL	05/01/02	No Violations Found
VANN ELEMENTARY SCHOOL	01/16/03	No Violations Found
	01/16/03	THE WALL IN THE KITCHEN AREA IS BLISTERED AND THE PAINT IS PEELING,
	01/16/03	LOCATE AND POST THE UP-TO-DATE HEALTH PERMIT.
VOCATIONAL FOOD SERVICE TRAINING	12/10/02	No Violations Found
WASHINGTON POLYTECHNIC ACADEMY	06/05/02	SECTION 319.2 THREE SCREENS ARE DAMAGED. REPAIR SCREENS.
	06/05/02	SECTION 321 WALLBOARD HAS BEEN INSTALLED IN CAFETERIA AREA.
WEST LIBERTY ELEMENTARY SCHOOL	11/14/02	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



WEST SIDE ELEMENTARY SCHOOL	01/16/01	No Violations Found
WESTINGHOUSE HIGH SCHOOL	10/30/02	No Violations Found
WESTWOOD ELEMENTARY SCHOOL	01/13/03	No Violations Found
WHITTIER ELEMENTARY SCHOOL	12/13/02	No Violations Found
WOOLSLAIR ELEMENTARY SCHOOL	03/18/03	051 Certified Manager Not Present
	03/18/03	SECTION 309 SOME OF THE PANELS LOOSE ON WALLS INSIDE THE WALK-IN

PLUM BOROUGH SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
A. E. O' BLOCK JUNIOR HIGH SCHOOL	11/14/02	No Violations Found
ADLAI E. STEVENSON ELEMENTARY	11/18/02	No Violations Found
CENTER ELEMENTARY SCHOOL	11/13/02	No Violations Found
HOLIDAY PARK ELEMENTARY SCHOOL	11/18/02	No Violations Found
PIVIK ELEMENTARY SCHOOL	11/13/02	No Violations Found
PLUM SENIOR HIGH SCHOOL	05/20/02	SEC 330 - NO ACHD PERMIT AVAILABLE AT TIME OF INSPECTION. OBTAIN &
	02/05/02	SEC 323 - VENT COVER ABOVE THE OVENS NOT PROPERLY INSTALLED.
REGENCY PARK ELEMENTARY SCHOOL	11/18/02	No Violations Found

QUAKER VALLEY SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
EDGEWORTH ELEMENTARY SCHOOL	03/15/02	051 Certified Manager Not Present



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



OSBORNE ELEMENTARY SCHOOL 02/12/02 No Violations Found

QUAKER VALLEY HIGH SCHOOL 03/13/03 No Violations Found

QUAKER VALLEY MIDDLE SCHOOL 11/07/02 No Violations Found

RIVERVIEW SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
TENTH STREET ELEMENTARY SCHOOL	11/04/02	No Violations Found
	03/13/02	No Violations Found
VERNER ELEMENTARY SCHOOL	03/01/02	SECTION 303.3- REFRIGERATION UNIT LACKS INTERNAL BACK UP THERMOMETER

ROMAN CATHOLIC DIOCESE OF PGH

Facility Name	Date Of Inspection	Inspection Results
ALL SAINTS ELEMENTARY SCHOOL	01/22/03	043 Inadequate Sanitization
ASSUMPTION ELEMENTARY SCHOOL	10/07/02	No Violations Found
BISHOP JOHN B. MC DOWELL RGNL	10/17/02	No Violations Found
BISHOP LEONARD ELEMENTARY SCHOOL	10/25/02	No Violations Found
BLESSED SACRAMENT ELEMENTARY SCHOOL	12/13/02	No Violations Found
BROOKLINE REGIONAL ELEMENTARY	11/13/02	No Violations Found
CANEVIN HIGH SCHOOL	03/19/03	039 Probe-Type Thermometers Not Provided/ Used
	03/19/03	043 Inadequate Sanitization
	03/19/03	303.3 NO THERMOMETER IN REFIRGERATOR ON SERVING LINE.



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



CARDINAL WRIGHT REGIONAL ANNEX ELEM	09/13/01	No Violations Found
CARDINAL WRIGHT REGIONAL SCHOOL	11/05/02	No Violations Found
CENTRAL CATHOLIC HIGH SCHOOL	12/02/02	No Violations Found
CHRIST THE DIVINE TEACHER CATHOLIC	01/22/03	• NEW FOOD MANAGER, CAROL PAULICK, IS NOT CERTIFIED, BUT SHE IS
	01/22/03	• NEW FOOD MANAGER, CAROL PAULICK, COULD NOT FIND A.C.H.D. PERMIT.
DE PAUL INSTITUTE	03/25/02	No Violations Found
DUQUESNE CATHOLIC ELEMENTARY SCHOOL	12/09/02	No Violations Found
ELIZABETH SETON REGIONAL ELEMENTARY	03/13/03	035 Unsafe Cooling
	03/13/03	039 Probe-Type Thermometers Not Provided/ Used
	03/13/03	305.7 ICE SCOOP STORED INSIDE ICE MACHINE. STORE UTENSIL ON A CLEAN
	03/13/03	312.1 INTERIOR WALLS OF ICE MACHINE HAVE MOLD GROWTH. DISCARD ICE.
	03/13/03	320.1A FLOOR OF DRY STORAGE AREA IN POOR CONDITION, NOT SMOOTH AND
	03/13/03	320.1B FLOOR DRAIN NEAR ICE MACHINE LACKS COVER. REPLACE COVER AND
GOOD SHEPHERD ELEMENTARY SCHOOL	10/21/02	No Violations Found
HOLY CHILD ELEMENTARY SCHOOL	03/04/03	No Violations Found
HOLY ROSARY ELEMENTARY SCHOOL	11/18/02	SECTIONS 320/321 - DIRT, DEBRIS, FOOD ITEMS, DUST ETC. ON CEILINGS,
HOLY SPIRIT ELEMENTARY SCHOOL	01/22/03	No Violations Found
HOLY TRINITY ELEMENTARY SCHOOL	11/25/02	HAVE THE HOOD FILTERS CLEANED.
	11/25/02	PROVIDE COLLING CHARTS AND DATE MARK FOODS THAT ARE PREPARED FOR THE
IMMACULATE CONCEPTION ELEMENTARY	12/09/02	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



INCARNATION ACADEMY	10/28/02	No Violations Found
MC KEESPORT CENTRAL CATHOLIC	04/09/02	No Violations Found
MT. ALVERNIA HIGH SCHOOL	10/17/02	No Violations Found
	02/26/02	No Violations Found
NATIVITY ELEMENTARY SCHOOL	01/21/03	No Violations Found
NORTH CATHOLIC HIGH SCHOOL	03/07/03	No Violations Found
OAKLAND CATHOLIC HIGH SCHOOL	02/13/03	No Violations Found
OUR LADY OF GRACE ELEMENTARY SCHOOL	04/09/02	336.2: FOOD MANAGER, CONNIE LINDSEY'S CERTIFICATION EXPIRED ON
OUR LADY OF THE SACRED HEART	11/20/02	No Violations Found
PRINCE OF PEACE ELEMENTARY SCHOOL	12/03/02	No Violations Found
SACRED HEART ELEMENTARY SCHOOL	11/07/02	SECTION 321 PEELING COVERING ON CEILING IN CORNER OF CAFETERIA.
SERRA CATHOLIC HIGH SCHOOL	11/26/02	No Violations Found
SETON - LASALLE HIGH SCHOOL	10/28/02	No Violations Found
ST. AGNES ELEMENTARY SCHOOL	10/17/02	No Violations Found
ST. AGNES ELEMENTARY SCHOOL - PGH	04/02/02	SECTION 309 REPAIR BOTTOM LATCH ON CRESCOR HOT HOLDING UNIT.
ST. ALEXIS ELEMENTARY SCHOOL	10/17/02	051 Certified Manager Not Present
ST. ALPHONSUS ELEM SCHOOL	12/03/02	No Violations Found
ST. ANGELA MERICI ELEMENTARY	02/04/03	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



ST. ANNE ELEMENTARY SCHOOL	12/12/02	No Violations Found
ST. ATHANASIUS ELEMENTARY SCHOOL	03/18/03	Section 303- Food is being stored on the floor in the freezer.
ST. BARTHOLOMEW ELEMENTARY SCHOOL	10/08/02	SECTION 321- THE FOLLOWING VIOLATIONS:
	10/08/02	SECTION 312- OVEN HOOD'S INSERT FILTERS ARE DIRTY AND DUSTY
ST. BASIL ELEMENTARY SCHOOL	10/25/02	No Violations Found
ST. BEDE ELEMENTARY SCHOOL	10/03/02	No Violations Found
ST. BENEDICT THE MOOR ELEMENTARY	01/23/03	043 Inadequate Sanitization
ST. BERNADETTE ELEMENTARY SCHOOL	11/08/02	051 Certified Manager Not Present
ST. BERNARD ELEMENTARY SCHOOL	11/13/02	No Violations Found
ST. BONAVENTURE ELEMENTARY SCHOOL	11/20/02	No Violations Found
ST. CLARE OF ASSISI ELEMENTARY	11/18/02	051 Certified Manager Not Present
ST. COLMAN ELEMENTARY SCHOOL	11/01/02	No Violations Found
ST. CYRIL OF ALEXANDRIA ELEM SCHOOL	10/03/02	No Violations Found
ST. ELIZABETH ANN SETON ELEM SCHOOL	11/20/02	No Violations Found
ST. ELIZABETH ELEMENTARY SCHOOL	12/04/02	No Violations Found
ST. GABRIEL OF THE SORROWFUL VIRGIN	11/26/02	No Violations Found
ST. GERMAINE ELEMENTARY SCHOOL	03/05/03	No Violations Found
ST. IRENAEUS ELEMENTARY SCHOOL	10/23/02	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



ST. JAMES ELEMENTARY SCHOOL	11/15/02	No Violations Found
ST. JAMES ELEMENTARY SCHOOL -	11/07/02	No Violations Found
ST. JOAN OF ARC ELEMENTARY SCHOOL	12/06/02	No Violations Found
ST. JOHN NEUMANN REGIONAL SCHOOL	02/28/02	STORE ALL FOOD AND SELF SERVICE CONTAINERS OFF FLOOR IN STORAGE ROOM.
ST. JOHN OF GOD ELEMENTARY SCHOOL	02/28/02	No Violations Found
ST. JOHN THE BAPTIST ELEMENTARY	11/18/02	No Violations Found
ST. JOSEPH ELEMENTARY SCHOOL -	10/11/02	No Violations Found
ST. JOSEPH ELEMENTARY SCHOOL-	11/20/02	No Violations Found
ST. JOSEPH REGIONAL ELEMENTARY	01/29/03	No Violations Found
ST. LOUISE DE MARILLAC ELEMENTARY	02/14/03	No Violations Found
ST. MALACHY ELEMENTARY SCHOOL	03/07/03	051 Certified Manager Not Present
	03/07/03	043 Inadequate Sanitization
	03/07/03	KEEP A BUCKET OF DILUTE BLEACH SOLUTION(AT LEAST 50 PPM) ON HAND IN
ST. MARGARET ELEMENTARY SCHOOL	03/18/03	No Violations Found
ST. MARGARET MARY PRESCHOOL	01/28/03	KEEP THERMOMETERS IN BOTH REFRIGERATORS.
ST. MARY ELEMENTARY SCHOOL	11/04/02	No Violations Found
ST. MARY OF THE MOUNT ELEMENTARY	10/30/02	No Violations Found
ST. MAURICE ELEMENTARY SCHOOL	03/04/03	No Violations Found
ST. MICHAEL ELEMENTARY SCHOOL	12/13/02	043 Inadequate Sanitization



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



ST. PHILIP ELEMENTARY SCHOOL	10/30/02	039 Probe-Type Thermometers Not Provided/ Used
ST. RAPHAEL ELEMENTARY SCHOOL	10/29/02	No Violations Found
ST. ROSALIA ELEMENTARY SCHOOL	12/09/02	No Violations Found
ST. SEBASTIAN ELEMENTARY SCHOOL	11/15/02	037 Unsafe Hot/ Cold Holding
ST. SIMON AND JUDE ELEMENTARY	12/03/02	No Violations Found
ST. STEPHEN ELEMENTARY SCHOOL	02/25/02	051 Certified Manager Not Present
ST. SYLVESTER ELEMENTARY SCHOOL	10/25/02	No Violations Found
ST. TERESA ELEMENTARY SCHOOL	11/20/02	No Violations Found
ST. THERESE OF LISIEUX ELEMENTARY	11/07/02	No Violations Found
ST. THOMAS MOORE ELEMENTARY SCHOOL	01/27/03	No Violations Found
ST. URSULA ELEMENTARY SCHOOL	01/29/03	No Violations Found
ST. VALENTINE ELEMENTARY SCHOOL	02/11/03	REPEAT VIOLATION:
TRANSFIGURATION ELEMENTARY SCHOOL	02/28/03	No Violations Found
VINCENTIAN ACADEMY - HIGH SCHOOL	11/19/02	Section 312- Bucket of sanitizer did not measure 50ppm.
WORD OF GOD ELEMENTARY SCHOOL	03/04/03	No Violations Found

SHALER AREA SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
BURCHFIELD ELEMENTARY SCHOOL	11/21/02	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



JEFFERY ELEMENTARY SCHOOL	04/04/02	No Violations Found
MARZOLF ELEMENTARY SCHOOL	03/13/02	No Violations Found
RESERVE ELEMENTARY SCHOOL	02/04/03	• SECTION 336: SANDRA CUKOWSKI, NEW FOOD MANAGER, IS NOT YET
ROGERS ELEMENTARY SCHOOL	04/04/02	No Violations Found
SHALER AREA HIGH SCHOOL	12/04/02	No Violations Found
SHALER AREA INTERMEDIATE SCHOOL	11/12/02	No Violations Found
SHALER AREA MIDDLE SCHOOL	11/12/02	No Violations Found

SOUTH ALLEGHENY SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
GLASSPORT CENTRAL ELEMENTARY SCHOOL	12/10/02	No Violations Found
MANOR ELEMENTARY SCHOOL	01/17/03	No Violations Found
PORT VUE ELEMENTARY SCHOOL	01/25/01	051 Certified Manager Not Present
SOUTH ALLEGHENY MIDDLE/ SENIOR HIGH	12/10/02	No Violations Found
South Allegheny Elementary	01/13/03	Sec. 305.5 Plastic utensils for self-serve table are in a horizontal

SOUTH FAYETTE SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
SOUTH FAYETTE ELEMENTARY SCHOOL	03/21/02	303.3: NO THERMOMETER IN MILK REFRIGERATOR IN LUNCH ROOM.
SOUTH FAYETTE HIGH SCHOOL	10/24/02	037 Unsafe Hot/ Cold Holding
	10/24/02	032 Ready to Eat Potentially Hazardous Foods Held Past Use-By-Date



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



SOUTH FAYETTE MIDDLE SCHOOL	12/18/02	312.7	QUAT AMMONIUM SANITIZER CONCENTRATION TOO HIGH IN ONE BUCKET.
	12/18/02	323.1:	VETNS OVER THE FRYER AREA ARE DIRTY.
	12/18/02	330.1	PERMIT NOT POSTED IN PLAIN PUBLIC VIEW.

SOUTH PARK SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
SOUTH PARK ELEMENTARY CENTER	01/21/03	NO THERMO-LABELS AVAILABLE FOR CHECKING THE SANITIZATION OF THE
SOUTH PARK HIGH SCHOOL	05/28/02	No Violations Found
SOUTH PARK MIDDLE SCHOOL	06/05/02	No Violations Found

STEEL VALLEY SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
BARRETT ELEMENTARY SCHOOL	11/07/02	051 Certified Manager Not Present
FRANKLIN PRIMARY CENTER	05/23/02	No Violations Found
PARK ELEMENTARY SCHOOL	12/18/02	No Violations Found
STEEL VALLEY SENIOR HIGH SCHOOL	11/20/02	No Violations Found

STO- ROX SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
STO- ROX ELEMENTARY SCHOOL	02/27/03	THE SLOP-SINK NEEDS A BACK-FLOW PREVENTER.-PROVIDE.
	11/25/02	No Violations Found
STO- ROX HIGH SCHOOL	12/03/02	No Violations Found



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



UPPER ST. CLAIR TOWNSHIP SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
ALBERT F. BAKER ELEMENTARY SCHOOL	11/25/02	303.3 THERMOMETER IS BROKEN IN CHEST TYPE MILK REFRIGERATOR.
BOYCE MIDDLE SCHOOL	02/07/03	037 Unsafe Hot/ Cold Holding
	02/07/03	323.1 VENTS ON HOOD OVER STOVE AREA IS GREASY AND DIRTY.
CARL R. STREAMS ELEMENTARY SCHOOL	11/25/02	303.3 NO THERMOMETERS IN :
DWIGHT D. EISENHOWER ELEMENTARY	11/25/02	039 Probe-Type Thermometers Not Provided/ Used
	11/25/02	303.3 NO THERMOMETER IN UPRIGHT REFRIGERATOR.
FORT COUCH MIDDLE SCHOOL	10/31/02	No Violations Found
UPPER ST. CLAIR HIGH SCHOOL	11/26/02	No Violations Found

WEST ALLEGHENY SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
MC KEE ELEMENTARY SCHOOL	04/11/02	No Violations Found
WEST ALLEGHENY MIDDLE SCHOOL	11/27/02	051 Certified Manager Not Present
	11/27/02	PREVIOUS DAYS SOUP, IN COLD STORAGE, DID NOT HAVE A COOLING CHART
WEST ALLEGHENY SENIOR HIGH SCHOOL	11/27/02	051 Certified Manager Not Present
	11/27/02	CLEAN AND SANITIZE THE CAN-OPENER.
	11/27/02	DAY OLD HOAGIES FROM WILSON ELEMENTARY SCHOOL, UNREFRIGERATED AT, 60
WILSON ELEMENTARY SCHOOL	03/12/03	THE SEARS REACH-IN FREEZER HAS A BROKEN LID LINER-REPLACE.



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



WEST JEFFERSON HILLS SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
GILL HALL ELEMENTARY SCHOOL	04/25/02	051 Certified Manager Not Present
JEFFERSON ELEMENTARY SCHOOL	12/13/02	No Violations Found
MC CLELLAN ELEMENTARY SCHOOL	05/15/02	No Violations Found
PLEASANT HILLS MIDDLE SCHOOL	12/04/02	038 Inadequate Facilities to Maintain Product Temperatures
THOMAS JEFFERSON HIGH SCHOOL	12/13/02	037 Unsafe Hot/ Cold Holding

WEST MIFFLIN SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
CLARA BARTON ELEMENTARY SCHOOL	12/12/02	051 Certified Manager Not Present
	12/12/02	SECTION 312- THIS FACILITY IS INCORPORATING BOTH CHLORINE AND
HOMEVILLE ELEMENTARY SCHOOL	11/25/02	049 Presence of Insects, Rodents, Other Animals
	11/25/02	051 Certified Manager Not Present
NEW EMERSON ELEMENTARY SCHOOL	11/20/02	037 Unsafe Hot/ Cold Holding
	11/20/02	NO TEST STRIPS FOR CHECKING SANITIZER SOLUTION. PROVIDE.
	11/20/02	051 Certified Manager Not Present
	11/20/02	NO ACHD HEALTH PERMIT POSTED- LAST PERMIT POSTED IS FROM 1999. OBTAIN
NEW ENGLAND ELEMENTARY SCHOOL	02/25/03	No Violations Found
WEST MIFFLIN AREA HIGH SCHOOL	12/09/02	031 Unapproved Food source, Unsound Condition
	12/09/02	035 Unsafe Cooling
	12/09/02	SECTION 303- ALL MILK AND JUICE REFRIGERATION UNITS LACK THERMOMETERS



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



12/09/02 043 Inadequate Sanitization
 12/09/02 050 Toxic Items Improperly Labeled, Stored, or Used
 12/09/02 SECTION 312- ICE MACHINE'S INTERIOR COVER AND WALLS ARE STAINED AND

WEST MIFFLIN AREA MIDDLE SCHOOL 12/09/02 046 Plumbing: Backflow Not Prevented
 12/09/02 050 Toxic Items Improperly Labeled, Stored, or Used
 12/09/02 SECTION 312: FACILITY LACKS THERMOLABELS TO MONITOR TEMPERATURE OF
 12/09/02 SECTION 321- THREE (3) AREAS:

WILKINSBURG BOROUGH SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
JOHNSON ELEMENTARY SCHOOL	01/22/02	051 Certified Manager Not Present
	01/22/02	SEC 321 - MISSING CEILING TILE ABOVE THE GARBAGE AREA. REPLACE.
KELLY ELEMENTARY SCHOOL	11/15/02	No Violations Found
THURGOOD MARSHALL ACADEMY	03/19/01	051 Certified Manager Not Present
TURNER ELEMENTARY SCHOOL	05/28/02	051 Certified Manager Not Present

WOODLAND HILLS SCHOOL DISTRICT

Facility Name	Date Of Inspection	Inspection Results
BENJAMIN FAIRLESS SCHOOL	10/17/02	No Violations Found
DICKSON SCHOOL	03/04/03	No Violations Found
EAST WOODLAND HILLS JR. HIGH SCHOOL	01/22/03	No Violations Found
EDGEWOOD SCHOOL	11/19/02	SEC 330 - NO CURRENT ACHD PERMIT AVAILABLE AT TIME OF INSPECTION.



ALLEGHENY COUNTY HEALTH DEPARTMENT

REPORT OF FOOD VIOLATIONS IN SCHOOLS

01/01/2003 - 03/20/2003



RANKIN SCHOOL	02/05/03	No Violations Found
SANFORD B. SHAFFER SCHOOL	05/23/02	No Violations Found
WEST WOODLAND HILLS JUNIOR HIGH	02/19/03	No Violations Found
WILKINS SCHOOL	05/23/02	No Violations Found
WOODLAND HILLS HIGH SCHOOL	02/05/03	No Violations Found